

GENERAL NOTES

All structural steel shall conform to AASHTO Classification M-270 Gr. 36, unless otherwise noted.

Fasteners shall be high strength bolts. Flange splice holes shall be 15 ₁₆ '' ϕ for 7 ₈'' ϕ bolts. Web splice holes shall be 13 ₁₆'' ϕ for 3 ₄'' ϕ bolts.

After the new beam is in its final position and/or beam straightening operations have been completed, the Engineer in the field shall check to see that the top flange is tight against the slab. If not, the Contractor shall inject epoxy between the existing concrete deck and the top flange of the beam. See Special Provision "Epoxy Injection".

Plan dimensions and details relative to existing plans are subject to nominal construction variations. The Contractor shall field verify existing dimensions and details affecting new construction and make necessary approved adjustments prior to construction or ordering of materials. Such variations shall not be cause for additional compensation for a change in scope of the work, however, the Contractor will be paid for the quantity actually furnished at the unit price bid for the work.

The existing structural steel coating contains lead. The Contractor shall take appropriate precautions to deal with the presence of lead on this project. Existing structural steel that will be in contact with new structural steel shall

be cleaned and painted prior to erection as required by the Special Provision "Cleaning and Painting Contact Surface Areas of Existing Steel Structures".

The Contractor shall provide support and/or shoring systems for the slab and beam in the area of existing beam removal. See Special Provisions "Temporary Shoring and Cribbing" and "Temporary Slab Support System."

Cost of removal and re-installation of all members necessary to complete the work as detailed on the plans and as specified in the Special Provisions shall be included with Furnishing and Erecting Structural Steel.

The Inorganic Zinc Rich Primer / Acrylic / Acrylic Paint System shall be used for shop and field painting of new structural steel except where otherwise noted. The color of the final finish coat for all interior steel surfaces shall be gray, Munsell No. 58 7/1. The color of the final finish coat for the exterior and bottom flange of the fascia beams shall be Blue, Munsell No. 10B 3/6. See Article 506 of the Standard Specifications.

Load carrying components designated "NTR" shall conform to the Supplemental Requirements for Notch Toughness, Zone 2.

TABLE OF IMPACT LOCATIONS

BEAM	DIM.
4E	6'-7'2"
5E	7'-9"
6E	8'-3"
7E	8'-7"
8E	8'-10"
9E	8'-10"
10	9'-2"
12	9'-12"

TOTAL BILL OF MATERIAL

ITEM	UNJT	QUANTITY
Concrete Removal	Cu. Yd.	1.3
Concrete Superstructure	Cu. Yd.	1.3
Structural Steel Removal	Pound	12,060
Structural Steel Repair	Pound	2080
Furnishing and Erecting Structural Steel	Pound	11,890
Beam Straightening	L.S.	1
Temporary Slab Support System	L.S.	1
Temporary Shoring and Cribbing	L.S.	1

DESIGNED DES

Expires 1/30/12

PASSED ACTING ENGINEER OF BRUDES AND STRUCTURAL SERVICE

REVISED

STATE OF ILLINOIS
DEPARTMENT OF TRANSPORTATION

GENERAL PLAN & ELEVATION
PINECREST DRIVE OVER F.A.I. ROUTE 74
SN 090-0091
SHEET NO. 1 OF 6 SHEETS

F.A.I. SECTION COUNTY TOTAL SHEETS NO.

74 (90-1446-1680)I-1 TAZEVELL I 7 10

CONTRACT NO.

[ILLINOIS] FED. AID PROJECT